

Modified Air Spring

Item No.	Rubber No.	Height(mm)	Dia(mm)	Air fitting size	Top fastener	Bottom fastener	Mtg. Hole Centers	Reference No.
Single Convoluted								
1S40-6	40-6	90	145	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		1B-500 / FS40-6
1S4256W1	2S4256	100	142	G1/4"	2*M10	M10		
1S4256W2	2S4256	100	142	1/4-18NPT	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
1S70-70	1S70-7	85	150	G1/4"	M8	M8		1B6-530/FS70-7
1S70-71	1S70-7	85	150				6*1/4-20UNC	
Double Convoluted								
2S105F	2S105	150	105				12.5/20/22/M52*1.5/M6	
2S120-17	2S120-17	178	176	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		FD120-17
2S200-19	2S200	210	224	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		FD200-19 320 2B9-200 W01-358-6910



Item No.	Rubber No.	Height(mm)	Dia(mm)	Air fitting size	Top fastener	Bottom fastener	Mtg.Hole Centers	Reference No.
2S200-22	2S200	212	222	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		FD200-22 2B9-229
2S200-25	2S200	232	235	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		FD200-25 428 2B9-255 W01-358-6947
2S2200-1	2S2200	125	100	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
2S2300	2S2300	141	125	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
2S2300F	2S2300	134	125				6*M6, 6*1/4-20UNC	
2S2400	2S2400	160	121	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
2S2400F	2S2400	160	121				6*M6, 6*1/4-20UNC	
2S2500	2S2500	212	152	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		2500lbs / D2500
2S6951	2S2500	143	146	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13	6*M6, 6*1/4-20UNC	
2S2600	2S2600	181	211	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		2600lbs / D2600
2S3500W2	2S3500	237	190	1/2-14NPT	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		2PL
2S3500W4	2S3500	237	190	1/2-14NPT	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		4PL

Item No.	Rubber No.	Height(mm)	Dia(mm)	Air fitting size	Top fastener	Botton fastener	Mtg. Hole Centers	Reference No.
2S5200Y1	2B250	146	153				20/M6	
2S5200Y2	2B250	146	153				22/M6	
2S5812	2B9100	188	115				12.5/20/22 with O'ring	
2S5813	2S5813	178	145	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		Air Lift 5813
2S5813F	2S5813	178	145				12.5/20/22/M52*1.5/M6	Air Lift 5813
2S5814	2S5814	158	141	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		Air Lift 5814
2S5814F	2S5814	158	141	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		Air Lift 5814
2S70-13	2S70-13	153	145	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		FD70-
2S70-13F	2S70-13	153	145				12.5/20/22,6*M6	
Triple Convolutad								
3S120-17	3S120-17	254	177	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
3S120-	3S120-17	265	177				6*M6, 6*1/4-20UNC	
3S2200	3S2200	182	100	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		

Item No.	Rubber No.	Height(mm)	Dia(mm)	Air fitting size	Top fastener	Botton fastener fastener	Mtg.Hole Centers	Reference No.
3S2400	3S2400	172	127	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
3S2400F	3S2400	172	127				6*M6, 6*1/4-20UNC	
3S70-13	2S70-13	213	145	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
1S107	1S7005	150	90				M50*1.5	
1S142P01		146	140	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13	12.5/20/22/M52*1.5/M6	
1S7002		190/210/230	94				23/25/26/27/30/33/40-55	
1S8210		200	82				12.5/20/22/M6/M10	
1S9000	1S9000	235		1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		W21-760-9000
1S1008		190/210/230/250	76				12.5/20/22 with O'ring	
3S2400	3S2400	172	127	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		
3S2400F	3S2400	172	127				6*M6, 6*1/4-20UNC	
3S70-13	2S70-13	213	145	1/8", 1/4", 3/8", 1/2"	3/8"-16, 1/2"-13, 3/4"-16	3/8"-16, 1/2"-13		